

*** SPECIFICATION CONFIRMATION *** DATE: 07/28/09

CUSTOMER: STOCK EAST HARTFORD CT FFFD	SERIAL NUMBER.....AP5986
199 ROBERTS ST	
EAST HARTFORD CT 06108	TSO NUMBER.....2W96F8
	CONCESSION NUMBER.....
ATTN: LINDY BIGLIAZZI	MODEL NUMBER.....CA125SLP
SALES FREIGHTLINER OF HARTFORD	SALES OUTLET.....FFFD
OUTLET: 222 ROBERTS STREET	BUILD LOCATION...CLEVELAND TMP
EAST HARTFORD CT 06108	PO NO.....
	ORDER RECEIVED.....03/31/09
	REQUESTED DELIVERY.....06/01/09

ITEM	DB CODE	SPECIFICATIONS	WEIGHTS (*)		SUGGESTED RETAIL
			FRONT	REAR	

PRICE LEVEL INFORMATION

1	PRL-44E	CASCADIA PRL-44E (EFF:3/23/09).....			N/C
---	---------	-------------------------------------	--	--	-----

GENERAL APPLICATION INFORMATION

2	AA1-001	TRACTOR/TRAILER CONFIGURATION.....			
3	AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES).....			
4	A85-005	LINEHAUL/LONG HAUL SERVICE.....			
5	A84-1GF	GENERAL FREIGHT BUSINESS SEGMENT.....			
6	AA3-998	NO BODY SPECIFIED.....			
7	AA2-001	VAN TRAILER.....			
8	AH6-001	SINGLE (1) TRAILER.....			
9	AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS.....			
10	AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE.....			
11	AB1-008	MAXIMUM 8% EXPECTED GRADE.....			
12	AA4-001	GENERAL FREIGHT COMMODITY.....			
13	A66-99D	EXPECTED FRONT AXLE(S) LOAD.....	12000		LBS
14	A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD.....	34000		LBS
15	A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY..	46000		LBS
16	A70-99D	EXPECTED GROSS COMBINATION WEIGHT.....	80000		LBS
17	AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA)	100.2		IN
18	A79-99D	EXPECTED MAXIMUM TRAILER SWING RADIUS...	62.5		IN
19	A78-99D	EXPECTED MAXIMUM TRAILER DIP ANGLE.....	4		DEG
20	AL7-99D	CALC'D MAXIMUM FORWARD 5TH WHEEL LOC....	20		IN
21	AM5-99D	CALC'D TRAILER CLEAR@MAX FWD 5TH WHL LOC	68.83		IN
22	AL9-99D	CALC'D MIN TRLR KP TO LANDING GEAR CLEAR	75		IN
23	AC3-99D	CALC'D VEHICLE SPEED @ GOVERNED ENG RPM.	59.39		MPH
24	AM3-99D	CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD	37.63		IN
25	AM2-99D	CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN.	39.12		IN

*** SPECIFICATION CONFIRMATION ***

DATE: 07/28/09

CUSTOMER: STOCK EAST HARTFORD CT

FFFD

SERIAL NUMBER.....AP5986

MAXIMUM GVW & AXLE SYSTEM CAPACITIES

COMPONENT	-----AXLES-----						
	-----FRONT-----			-----REAR-----			
	1ST	2ND	PUSHER	1ST	2ND	3RD	TAG
AXLE	12000			20000	20000		
SUSPENSION	12000			20000	20000		
TIRES	13220			24020	24020		
WHEELS/RIMS	14600			29560	29560		
HUBS/SPOKES	13300			23000	23000		
BRAKES	12000			20000	20000		
STEERING	13300						
MAX RATED CAPACITY	12000			20000	20000		

VEHICLE SUMMARY

MAX CAP FRONT AXLE: 12000
 MAX CAP REAR/AXLE: 40000
 MAX CAP PUSH/TAG AXLE:
 MAX VEHICLE CAP (GVW): 52000

*** SPECIFICATION CONFIRMATION ***

DATE: 07/28/09

CUSTOMER: STOCK EAST HARTFORD CT FFFD SERIAL NUMBER.....AP5986

ITEM	DB CODE	SPECIFICATIONS	WEIGHTS (*)		SUGGESTED RETAIL
			FRONT	REAR	
26	A61-99D	CALC'D MAX CAPACITY FRONT AXLE(S) TOTAL..	12000	LBS	
27	A59-99D	CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL.	40000	LBS	
28	A60-99D	CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL.	0	LBS	
29	A62-99D	RATED MAXIMUM VEHICLE CAPACITY - GVWR...	52000	LBS	
BASE MODEL					
30	001-233	CASCADIA 125" SLEEPER CAB.....	9550	7560	\$162,375.00
31	004-210	2010 MODEL YEAR SPECIFIED.....			N/C
32	995-1AD	FREIGHTLINER LEVEL I WARRANTY.....			STD
33	002-002	SET BACK AXLE - TRACTOR.....			STD
34	019-998	NO TRUCK PROVISION PACKAGE.....			STD
35	003-001	LH PRIMARY STEERING LOCATION.....			STD
ENGINE					
36	101-2PM	CUM ISX 425 ST @ 1800 RPM, 1550/1750 LB/ FT @ 1200 RPM.....	200	30	1,632.00
37	99C-009	2007 EPA/CARB EMISSION CERTIFICATION....			N/C
38	99D-010	NO 2008 CARB EMISSION CERTIFICATION....			N/C
39	28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH.....			STD
40	ED2-99D	ROAD SPEED LIMIT MPH.....	59	MPH	
41	EE1-004	CUM+/IS_ IDLE TIMER SHUTDOWN ENABLE - NO			
42	EE4-998	NONE.....			
43	EF1-004	PTO/REMOTE PTO - NO.....			
44	EJA-004	ENGINE BRAKE W/SERVICE BRAKE-CUM-N.....			
45	EJF-99D	MINIMUM ENGINE SPEED FOR ENGINE BRAKE...	0	MPH	
46	EMH-002	FAN CLUTCH LOGIC - CUMMINS - LOW.....			
ENGINE EQUIPMENT					
47	105-001	ENGINE MOUNTED OIL CHECK AND FILL.....			STD
48	104-998	NO ENGINE OIL DRAIN/SAMPLE.....			N/C
49	133-004	ONE PIECE VALVE COVER.....			N/C
50	014-1B2	LOWER WINDSHIELD AIR INTAKE WITH ENGINE MOUNTED AIR CLEANER.....			STD
51	124-1DJ	DR 12V 160 AMP 36-SI BRUSHLESS QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE.....			STD
52	292-1AU	(4) ALLIANCE MODEL 7T31, GROUP 31, 12 VOLT MAINTENANCE FREE 2800 CCA THREADED STD BATTERIES.....			STD

*** SPECIFICATION CONFIRMATION ***

DATE: 07/28/09

CUSTOMER: STOCK EAST HARTFORD CT FFFD SERIAL NUMBER.....AP5986

ITEM	DB CODE	SPECIFICATIONS	WEIGHTS (*)		SUGGESTED RETAIL
			FRONT	REAR	
53	290-060	PLASTIC BATTERY BOX MOUNTED BETWEEN RAIL S.....	-40	20	-360.00
54	29G-998	NO AUXILIARY BATTERY BOX.....			N/C
55	282-014	BATTERY BOX(ES) MOUNTED IN RAIL BACK OF CAB.....			N/C
56	29E-998	NO AUXILIARY BATTERY BOX MOUNTING/LOCATI ON.....			N/C
57	291-002	WIRE GROUND RETURN FOR BATTERY CABLES...			STD
58	289-006	PLASTIC BATTERY BOX COVER.....			N/C
59	29F-998	NO AUXILIARY BATTERY BOX COVER.....			N/C
60	293-045	POSITIVE POWER CIRCUIT SHUTOFF SWITCH IN CAB MOUNTED OUTBOARD OF DRIVER SEAT....	8		276.00
61	295-998	NO JUMPSTART POST.....			STD
62	306-015	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12 .3 VOLTS FOR DESIGNATED CIRCUITS.....			STD
63	180-094	EATON FULLER 15-1/2 INCH CERAMIC SOLO VC TPLUS ADJUSTMENT FREE CLUTCH.....			409.00
64	183-008	TORQUE LIMITING CLUTCH BRAKE.....			STD
65	181-002	ZERK FITTING WITH EXTENSION HOSE AT CLUT CH RELEASE BEARING.....			STD
66	107-032	CUMMINS 18.7 CFM COMPRESSOR WITH INTERNA L SAFETY VALVE.....			N/C
67	131-002	TEFLON COMPRESSOR DISCHARGE LINE.....			N/C
68	152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROT ECTION SYSTEM.....			STD
69	128-047	CUMMINS INTEBRAKE COMPRESSION BRAKE WITH DASH SWITCH.....			N/C
70	016-1BK	RH INBOARD FRAME MOUNTED HORIZONTAL AFTE RTREATMENT DEVICE WITH RH BACK OF CAB FR AME MOUNTED VERTICAL TAILPIPE ROUTED OVE R FRAME.....			STD
71	239-062	13 FOOT 06 INCH (162 INCH+0/-5 INCH) EXH AUST SYSTEM HEIGHT.....			STD
72	233-001	BRIGHT UPPER STACK(S).....			479.00
73	237-1E5	RH CURVED VERTICAL TAILPIPE BACK OF CAB FRAME MOUNTED ROUTED BETWEEN RAILS OVER FRAME.....			N/C
74	242-001	STAINLESS STEEL AFTERTREATMENT DEVICE/MU FFLER/TAILPIPE SHIELD.....			STD
75	273-036	BORG WARNER (KYSOR) K26RA REAR AIR ON/OF F ENGINE FAN CLUTCH.....			STD
76	276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITC H, NON ENGINE MOUNTED.....			STD
77	110-003	CUMMINS SPIN ON FUEL FILTER.....			N/C
78	112-998	NO FUEL LINE PRIMER PUMP.....			N/C

*** SPECIFICATION CONFIRMATION ***

DATE: 07/28/09

CUSTOMER: STOCK EAST HARTFORD CT

FFFD

SERIAL NUMBER.....AP5986

ITEM	DB CODE	SPECIFICATIONS	WEIGHTS (*)		SUGGESTED RETAIL
			FRONT	REAR	
79	118-001	FULL FLOW OIL FILTER.....			STD
80	120-009	FLEETGUARD PLAIN COOLANT FILTER.....			N/C
81	266-082	1625 SQUARE INCH ALUMINUM RADIATOR.....			STD
82	103-036	ANTIFREEZE TO -34F, ETHYLENE GLYCOL PRE-CHARGED SCA HEAVY DUTY COOLANT.....			STD
83	171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT.....			STD
84	172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES.....			N/C
85	138-005	PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER.....	4		119.00
86	141-998	NO COOLANT HEATER - GAS/DSL.....			STD
87	166-998	NO OIL PREHEATER.....			STD
88	140-022	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR.....			20.00
89	134-001	ALUMINUM FLYWHEEL HOUSING.....			STD
90	132-998	NO AIR INTAKE WARMER.....			STD
91	155-060	DELCO 12V 39MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH.....			STD
TRANSMISSION & EQUIPMENT					
92	342-1R8	EATON FULLER FRM-15210B TRANSMISSION....			38.00
93	343-998	NO WRG/ELECTRONICS-TRANSMISSION.....			STD
94	97G-998	NO TRANSMISSION PROGNOSTICS.....			N/C
95	345-001	PAINTED SHIFT LEVER, SOLID LINKAGE.....			STD
96	347-002	ALUMINUM CLUTCH HOUSING.....			STD
97	370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK.....			STD
98	368-998	NO EXTERNAL TRANSMISSION OIL FILTER.....			N/C
99	35T-003	SYNTHETIC SAE 50W TRANSMISSION LUBE.....			N/C
100	341-017	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION FILL AND DRAIN, AXLE(S) FILL AND DRAIN.....			STD
101	362-998	NO MAIN TRANSMISSION MOUNTED PTO.....			STD
102	363-998	NO PTO MOUNTING LOCATION SPECIFIED.....			N/C
FRONT AXLE, SUSPENSION & EQUIPMENT					
103	400-1A6	AF-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE.....			STD
104	402-020	MERITOR 15X4 Q+ CAM FRONT BRAKES.....			STD
105	403-002	NON-ASBESTOS FRONT BRAKE LINING.....			STD
106	419-023	CONMET CAST IRON FRONT BRAKE DRUMS.....			STD
107	427-001	FRONT BRAKE DUST SHIELDS.....	5		46.00

*** SPECIFICATION CONFIRMATION ***

DATE: 07/28/09

CUSTOMER: STOCK EAST HARTFORD CT FFFD SERIAL NUMBER.....AP5986

ITEM	DB CODE	SPECIFICATIONS	WEIGHTS (*)		SUGGESTED RETAIL
			FRONT	REAR	
108	409-006	FRONT OIL SEALS.....			STD
109	408-001	VENTED FRONT HUB CAPS - OIL.....			STD
110	416-022	STANDARD SPINDLE NUTS FOR ALL AXLES.....			STD
111	405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS.			STD
112	536-050	TRW THP-60 POWER STEERING.....			STD
113	539-003	POWER STEERING PUMP.....			STD
114	534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR.....			STD
115	533-998	NO POWER STEERING OIL COOLER.....			STD
116	40T-003	SYNTHETIC 50W FRONT AXLE LUBE.....			N/C
117	620-015	12,000# TAPERLEAF FRONT SUSPENSION.....			STD
118	619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION.....			STD
119	410-001	FRONT SHOCK ABSORBERS.....			STD
REAR AXLE, SUSPENSION & EQUIPMENT					
120	420-1GR	ART-40.0-4 HT 40,000# R-SERIES TANDEM REAR AXLE.....			STD
121	421-358	3.58 REAR AXLE RATIO.....			N/C
122	424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING.....			STD
123	42S-001	STANDARD REAR AXLE SHAFT HOLES.....			N/C
124	386-044	RPL25 MERITOR MAIN DRIVELINE.....	20	20	432.00
125	388-039	RPL20 MERITOR INTERAXLE DRIVELINE.....			115.00
126	452-998	NO TRACTION EQUALIZER.....			STD
127	878-019	(1) INTERAXLE LOCK CONTROL VALVE FOR TANDEM OR TRIDEM DRIVE AXLES.....			STD
128	423-032	MERITOR 16.5X7 Q+ STAMPED SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOE S.....			STD
129	433-002	NON-ASBESTOS REAR BRAKE LINING.....			STD
130	434-001	CAM BRAKE AUXILIARY SUPPORT BRACKETS.....			N/C
131	451-023	CONMET CAST IRON REAR BRAKE DRUMS.....			STD
132	425-002	REAR BRAKE DUST SHIELDS.....		10	119.00
133	440-021	CHICAGO RAWHIDE SCOTSEAL PLUS XL REAR OIL SEALS.....			STD
134	435-998	NO DRIVELINE PARKING BRAKE.....			STD
135	426-074	HALDEX GOLDSEAL LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS.....			STD
136	428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS..			STD
137	41T-002	SYNTHETIC 75W-90 REAR AXLE LUBE.....			STD
138	622-005	AIRLINER 40,000# REAR SUSPENSION.....			STD
139	621-007	AIRLINER HIGH POSITION RIDE HEIGHT.....			STD
140	431-001	STANDARD U-BOLT PAD.....			STD

*** SPECIFICATION CONFIRMATION ***

DATE: 07/28/09

CUSTOMER.: STOCK EAST HARTFORD CT PFFD SERIAL NUMBER.....AP5986

ITEM	DB CODE	SPECIFICATIONS	WEIGHTS (*)		SUGGESTED RETAIL
			FRONT	REAR	
141	624-016	51 INCH AXLE SPACING.....			N/C
142	888-016	MANUAL DUMP VALVE FOR AIR SUSPENSION WITH INDICATOR LIGHT AND BUZZER, WITHOUT GAUGE.....			STD
143	910-001	SINGLE AIR REAR SUSPENSION LEVELING VALVE.....			N/C
144	623-002	TRANSVERSE CONTROL RODS.....			STD
145	439-005	REAR SHOCK ABSORBERS - TWO AXLES (TANDEM) (AIR RIDE SUSPENSION).....			STD
146	035-998	NO DEAD AXLE PACKAGE.....			STD
147	443-998	NO PUSHER OR TAG AXLE.....			STD
148	626-998	NO PUSHER OR TAG SUSPENSION.....			STD
149	627-998	NO PUSHER/TAG AXLE SPACING.....			STD
BRAKE SYSTEM					
150	490-101	WABCO 4S/4M ABS WITH TRACTION CONTROL...			254.00
151	871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES.....			STD
152	904-001	FIBER BRAID PARKING BRAKE HOSE.....			STD
153	412-001	STANDARD BRAKE SYSTEM VALVES.....			STD
154	432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE.....			STD
155	480-009	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER			STD
156	460-001	STEEL AIR BRAKE RESERVOIRS.....			STD
157	477-004	PULL CABLES ON ALL AIR RESERVOIR(S).....			26.00
158	481-074	15 FOOT COILED TRAILER AIR HOSE WITH 48 INCH TRACTOR, 12 INCH TRAILER LEADS.....	2		96.00
159	476-002	36 INCH STAINLESS STEEL SLIDE BAR WITH SPRING TYPE AIR HOSE HANGER.....			STD
160	484-032	COMBINATION DUMMY GLAD HANDS AND LIGHT P LUG HOLDER MOUNTED LH BACK OF CAB WITH ROUND ACCESS.....			STD
161	296-010	PRIMARY CONNECTOR/RECEPTACLE CENTER PIN POWERED THROUGH IGNITION.....			STD
162	297-027	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED LOWER LH BACK OF CAB....			STD
163	308-998	NO SUPPLEMENTAL TRAILER CABLE WIRING....			STD
164	331-998	NO SUPPLEMENTAL ISO 3731 7-WAY TRAILER ABS RECEPTACLE.....			STD
165	30K-998	NO HIGH CURRENT RECEPTACLE/WIRING.....			STD
166	310-084	15 FOOT DETACHABLE COILED PRIMARY TRAILER ELECTRICAL CABLE WITH SAE J560 CONNECTOR OR WITH 12 INCH TRACTOR, 12 INCH TRAILER LEADS.....	2		74.00

*** SPECIFICATION CONFIRMATION ***

DATE: 07/28/09

CUSTOMER: STOCK EAST HARTFORD CT FFFD SERIAL NUMBER.....AP5986

ITEM	DB CODE	SPECIFICATIONS	WEIGHTS (*)		SUGGESTED RETAIL
			FRONT	REAR	
FRAME & WHEELBASE					
167	545-580	5800MM (228 INCH) WHEELBASE.....			N/C
168	546-100	1 1/32X3-1/2X10-3/16 INCH STEEL FRAME (8.73MMX258.8MM/0.344X10.19 INCH) 120KSI...	-80	-10	STD
169	552-012	1450MM (57 INCH) REAR FRAME OVERHANG....			STD
170	AB8-99D	CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS		0.58 %	
171	553-002	FLANGED TAPERED END OF FRAME.....			STD
172	559-001	STANDARD WEIGHT ENGINE CROSSMEMBER.....			STD
173	560-001	UNDERSLUNG CROSSMEMBER.....			STD
174	565-001	STANDARD SUSPENSION CROSSMEMBER.....			STD
175	572-020	INVERTED U TRACTOR CROSSMEMBER.....			N/C
176	587-998	NO REAR TOWING DEVICE.....			STD
CHASSIS EQUIPMENT					
177	674-001	LH BACK OF CAB ACCESS.....			STD
178	592-054	21 INCH (525MM) DECK PLATE FLUSH MOUNTED BETWEEN RAILS.....			47.00
179	556-079	SOLID DARK GRAY AERODYNAMIC BUMPER.....			STD
180	557-001	CENTER STEP RECESSED IN BUMPER.....			STD
181	558-033	REMOVABLE FRONT TOW HOOKS STORED ON CHASSIS FRAME.....			STD
182	574-007	BUMPER MOUNTING FOR (3) LICENSE PLATES..			STD
183	585-1AJ	BETTS B-7 STAINLESS STEEL MUDFLAP BRACKET.....		10	82.00
184	590-001	BLACK MUDFLAPS.....			STD
185	586-015	FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS...			STD
186	551-002	HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS			STD
187	583-059	PLASTIC QUARTER FENDERS WITH LOGO.....		35	119.00
188	602-017	PROTECH TA2460 18X25X28 INCH LOCKING STEEL P BOX, LIFT OPEN SADDLE BOX WITH SEALED DOOR.....	40	40	881.00
189	600-998	NO CAB GUARD.....			STD
FIFTH WHEEL & EQUIPMENT					
190	578-1JT	HOLLAND FWS1 ILS 24.0 INCH AIR SLIDE FIFTH WHEEL - 2 INCH SLIDE INCREMENTS.....			STD
191	577-610	FIFTH WHEEL 610MM (24.0 INCHES) AHEAD OF SUSPENSION CENTERLINE.....			N/C
192	571-020	FWD 5TH WHEEL SLIDE STOPS @ +20.00.....			17.00
193	582-027	192MM (7.56 INCH) FIFTH WHEEL HEIGHT....			N/C
194	A03-99D	CALC'D UNLADEN 5TH WHEEL HEIGHT +/-0.5"	46.68	IN	
195	570-002	INBOARD ANGLE - FIFTH WHEEL MOUNTING....			N/C

*** SPECIFICATION CONFIRMATION ***

DATE: 07/28/09

CUSTOMER: STOCK EAST HARTFORD CT FFFD SERIAL NUMBER.....AP5986

ITEM	DB CODE	SPECIFICATIONS	WEIGHTS (*)		SUGGESTED RETAIL
			FRONT	REAR	
196	890-001	DASH MOUNTED CONTROL VALVE AND PLUMBING FOR FIFTH WHEEL.....			STD
197	579-005	LH FIFTH WHEEL RELEASE.....			STD
FUEL TANK(S) & EQUIPMENT					
198	206-158	120 GALLON/453 LITER ALUMINUM FUEL TANK - RH.....	5	5	167.00
199	201-998	NO RH AUXILIARY FUEL TANK.....			STD
200	204-158	120 GALLON/453 LITER ALUMINUM FUEL TANK - LH.....	10		167.00
201	200-998	NO LH AUXILIARY FUEL TANK.....			STD
202	203-998	NO HYDRAULIC OIL TANK.....			STD
203	218-001	23 INCH DIAMETER FUEL TANK(S).....			STD
204	215-007	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH POLISHED STAINLESS STEEL BANDS.....			920.00
205	212-007	FUEL TANK(S) FORWARD.....			N/C
206	664-001	PLAIN STEP FINISH.....			STD
207	205-001	FUEL TANK CAP(S).....			STD
208	220-998	NO FUEL HEATER.....			STD
209	122-1BD	DAVCO 382 FUEL/WATER SEPARATOR WITH 12 VOLT HEAT AND THERMATIC CONTROL.....	10		459.00
210	216-026	EQUIFLO INBOARD FUEL SYSTEM WITH SHUTOFF VALVE ON ONE TANK.....			STD
211	202-003	REINFORCED NYLON FUEL HOSE.....			STD
212	221-998	NO FUEL COOLER.....			STD
TIRES					
213	093-0GJ	GOODYEAR G395 LHS 295/75R22.5 14 PLY RADIAL FRONT TIRES.....			STD
214	094-0U3	GOODYEAR G372A 295/75R22.5 14 PLY RADIAL REAR TIRES.....		152	176.00
HUBS					
215	418-018	CONMET PRE-SET BEARING ALUMINUM FRONT HUBS.....			STD
216	450-018	CONMET PRE-SET BEARING ALUMINUM REAR HUBS.....			STD

*** SPECIFICATION CONFIRMATION ***

DATE: 07/28/09

CUSTOMER: STOCK EAST HARTFORD CT FFFD SERIAL NUMBER.....AP5986

ITEM	DB CODE	SPECIFICATIONS	WEIGHTS (*)		SUGGESTED RETAIL
			FRONT	REAR	
WHEELS					
217	502-506	ACCURIDE 29644A 22.5X8.25 10-HUB PILOT A LUMINUM DISC FRONT WHEELS.....	-62		414.00
218	505-717	ACCURIDE ACCU-LITE 50408 22.5X8.25 10-HU B PILOT 2-HAND STEEL DISC REAR WHEELS...		-80	STD
219	524-032	POLISHED DISC SIDE FRONT WHEELS WITH ACC U-SHIELD FINISH.....			257.00
CAB EXTERIOR					
220	829-1AF	125 INCH BBC ALUMINUM CONVENTIONAL CAB..			STD
221	653-004	RH CAB DOOR(S) WITH 70 DEGREE DOOR STOP.			STD
222	651-004	LH CAB DOOR(S) WITH 70 DEGREE DOOR STOP.			STD
223	682-074	60 INCH XT SLEEPER CAB.....	-160	-160	-4,229.00
224	784-998	NO AIR SHIELD OR BRACKETS.....			STD
225	783-019	12 INCH CAB/SLEEPER CAB SIDE EXTENDERS WI TH BLACK FLEXIBLE ENDS.....	30	30	STD
226	82A-011	UNDER CAB VANITY PANELS.....	5		74.00
227	782-998	NO FRAME SIDE FAIRINGS.....			STD
228	704-036	LH BAGGAGE DOOR.....			STD
229	650-008	AIR CAB MOUNTS.....			STD
230	648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GR ILLE.....			STD
231	695-998	NO SLEEPER DOOR.....			STD
232	678-003	LH AND RH INTERIOR GRAB HANDLES.....			STD
233	646-010	CHROME GRILLE WITH INTEGRAL SURROUND....			STD
234	644-001	AERODYNAMIC HOOD.....			STD
235	690-010	HOOD AND TUNNEL/FIREWALL PREMIUM NOISE A BATEMENT AND INSULATION.....			STD
236	727-1AY	SINGLE AIR HORN UNDER LH DECK.....			STD
237	726-001	SINGLE ELECTRIC HORN.....			STD
238	657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME.....			STD
239	327-998	NO OTHER LIGHTS.....			STD
240	312-043	INTEGRAL HEADLIGHT/MARKER ASSEMBLY.....			STD
241	302-073	VISOR MOUNTED LED MARKER LIGHTS.....			N/C
242	314-068	AUXILIARY HIGH BEAM LIGHTS RECESSED IN B UMPER.....	6		107.00
243	315-998	NO FOG LIGHTS.....			STD
244	311-001	DAYTIME RUNNING LIGHTS.....			STD
245	316-998	NO SPOTLIGHTS.....			STD
246	294-042	FREIGHTLINER LED FLANGE MOUNTED STOP/TAI L/TURN LIGHTS WITH SEPARATE INCANDESCENT BACKUP LIGHTS.....		5	52.00

*** SPECIFICATION CONFIRMATION ***

DATE: 07/28/09

CUSTOMER: STOCK EAST HARTFORD CT FFFD SERIAL NUMBER.....AP5986

ITEM	DB CODE	SPECIFICATIONS	WEIGHTS (*)		SUGGESTED RETAIL
			FRONT	REAR	
247	300-040	STANDARD SIDE TURN SIGNAL.....			STD
248	318-004	(2) FLUSH UTILITY LIGHTS MOUNTED BACK OF CAB/SLEEPER.....			STD
249	596-998	NO LOAD LOCK CARRIERS.....			STD
250	744-1C6	DUAL BRIGHT FINISH HEATED MIRRORS WITH INTEGRAL CONVEX AND LH AND RH REMOTE.....			64.00
251	797-001	DOOR MOUNTED MIRRORS.....			STD
252	796-001	102 INCH EQUIPMENT WIDTH.....			STD
253	74A-001	RH DOWN VIEW MIRROR.....			40.00
254	74B-998	NO AUXILIARY MIRROR.....	-8		-116.00
255	713-998	NO PERMIT PLAQUE.....			STD
256	729-001	STANDARD SIDE/REAR REFLECTORS.....			STD
257	73A-002	REAR REFLECTIVE DEVICE.....			STD
258	776-004	(2) PAINTED SLEEPER VENTS, LH AND RH.....			STD
259	764-016	EXTERIOR SUN VISOR.....	20		197.00
260	76Z-998	NO SIDE SLEEPER CAP WINDOWS.....			N/C
261	661-016	SOLAR TINTED DOOR GLASS LH AND RH WITH TINTED FORWARD SIDE GLASS.....			STD
262	654-011	RH AND LH ELECTRIC POWERED WINDOWS.....			STD
263	767-998	NO SIDE WINDOW.....			STD
264	663-025	2-PIECE SOLAR TINTED CURVED ROPED-IN WINDSHIELD.....			STD
265	659-007	8 LITER WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITHOUT FLUID LEVEL INDICATOR.			STD
266	647-998	NO WINTERFRONT.....			STD
CAB INTERIOR					
267	707-1CW	GRAY VINYL INTERIOR.....			STD
268	706-034	STANDARD LH DOOR TRIM.....			STD
269	708-034	STANDARD RH DOOR TRIM.....			STD
270	772-001	BLACK MATS.....			STD
271	773-018	BLACK MAT IN SLEEPER AREA.....			STD
272	771-001	BLACK MATS IN BAGGAGE COMPARTMENT.....			STD
273	785-014	(2) DASH MOUNTED POWER OUTLETS AND COIN TRAY.....			STD
274	64E-008	STORAGE CABINET WITH TV SHELF.....			N/C
275	64D-009	TALL CLOSET WITH STORAGE CABINET.....			N/C
276	691-017	FORWARD ROOF MOUNTED CONSOLE WITH CENTER LOCKING DOOR.....			STD
277	693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS.....			STD
278	741-020	STORAGE POCKET(S) MOUNTED INSIDE CABINET DOOR(S).....			STD
279	826-011	35 INCH WIDE LIFTABLE LOWER BUNK.....			N/C

*** SPECIFICATION CONFIRMATION ***

DATE: 07/28/09

CUSTOMER: STOCK EAST HARTFORD CT FFFD SERIAL NUMBER.....AP5986

ITEM	DB CODE	SPECIFICATIONS	WEIGHTS (*)		SUGGESTED RETAIL
			FRONT	REAR	
280	666-005	TENT STYLE BUNK RESTRAINT FOR LOWER BUNK			STD
281	742-998	NO CUP/THERMOS HOLDER.....			STD
282	680-017	PARCHMENT/SHALE WING DASH.....			STD
283	720-011	5 LB. FIRE EXTINGUISHER MOUNTED IN LH BA GGAGE COMPARTMENT.....	10		66.00
284	714-001	FIRST AID KIT.....	2		53.00
285	700-014	HEATER, DEFROSTER AND AIR CONDITIONER WI TH CONSTANT OUTLET TEMPERATURE CONTROL..			STD
286	689-003	AUXILIARY HEATER/AIR CONDITIONER WITH CO NSTANT OUTLET TEMPERATURE CONTROL.....			STD
287	170-019	STANDARD HEATER PLUMBING WITH BALL SHUTO FF VALVES.....			76.00
288	130-031	SANDEN HEAVY DUTY AIR CONDITIONER COMPRE SSOR.....			STD
289	698-001	RADIATOR MOUNTED AIR CONDITIONER CONDENS ER.....			STD
290	702-002	BINARY CONTROL, R-134A.....			STD
291	739-033	STANDARD INSULATION.....			STD
292	285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			STD
293	280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM...			STD
294	322-030	DOOR AND BUNK ACTIVATED BAGGAGE COMPARTM ENT LIGHTING SYSTEM.....			STD
295	324-1AN	PREMIUM CAB LIGHTING.....			107.00
296	325-071	PREMIUM SLEEPER LIGHTING.....			N/C
297	655-001	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS.			STD
298	740-002	SPRING MATTRESS IN SLEEPER.....			N/C
299	284-075	(2) 12 VOLT POWER OUTLETS AT BASE OF BUN K.....			32.00
300	722-002	TRIANGULAR REFLECTORS WITHOUT FLARES....	10		47.00
301	756-1DD	BASIC HIGH BACK AIR SUSPENSION DRIVER SE AT WITH 1 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION AND REAR CUSHION TILT			STD
302	760-1DD	BASIC HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH 1 CHAMBER AIR LUMBAR, INTEGRA TED CUSHION EXTENSION AND REAR CUSHION T ILT.....			STD
303	757-001	BLACK SUSPENSION COVER FOR AIR DRIVER SE AT.....	2		53.00
304	759-007	DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS.....	4		87.00
305	758-033	VINYL WITH CLOTH INSERT DRIVER SEAT.....			23.00
306	761-033	VINYL WITH CLOTH INSERT PASSENGER SEAT..			23.00
307	763-011	3 POINT ADJUSTABLE D-RING RETRACTOR DRIV ER AND PASSENGER SEAT BELTS.....			STD
308	709-006	SLEEPER CURTAIN.....			STD

*** SPECIFICATION CONFIRMATION ***

DATE: 07/28/09

CUSTOMER: STOCK EAST HARTFORD CT FFFD SERIAL NUMBER.....AP5986

ITEM	DB CODE	SPECIFICATIONS	WEIGHTS (*)		SUGGESTED RETAIL
			FRONT	REAR	
309	532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN.....			STD
310	540-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES.....			STD
311	765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			STD
CONTROLS & INSTRUMENTS					
312	870-001	BLACK GAUGE BEZELS.....			STD
313	732-035	LAZER BLACK DRIVER INSTRUMENT PANEL.....			STD
314	486-001	LOW AIR PRESSURE LIGHT AND BUZZER.....			STD
315	838-998	NO AIR APPLICATION GAUGE.....			STD
316	840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES.....			STD
317	198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS.....			STD
318	721-998	NO BACKUP ALARM.....			STD
319	149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES.....			STD
320	156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY.....			STD
321	811-011	ODOMETER/TRIP/HOUR/DIAGNOSTIC/VOLTAGE DISPLAY: 1X7 CHARACTER, 26 WARNING LAMPS, DATA LINKED, ICU3.....			STD
322	160-012	DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, SAE J1587/1708/1939, LOCATED BELOW DASH..			STD
323	844-001	2 INCH ELECTRIC FUEL GAUGE.....			STD
324	148-998	NO ACCELERATOR HAND CONTROL.....			N/C
325	866-998	NO AXLE TEMPERATURE GAUGE.....			STD
326	856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE.....			STD
327	854-998	NO ENGINE OIL TEMPERATURE GAUGE.....			STD
328	864-998	NO TRANSMISSION TEMPERATURE GAUGE.....			STD
329	867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER.....			STD
330	830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY.....			STD
331	438-998	NO HUBODOMETER.....			STD
332	372-998	NO PTO CONTROLS.....			STD
333	49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL.			STD
334	852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE.....			STD
335	786-998	NO POSITIONING/LOCATING SYSTEM.....			STD
336	78A-998	NO POSITION/COMMUNICATION ACCESSORY.....			STD
337	858-998	NO PYROMETER.....			STD

*** SPECIFICATION CONFIRMATION ***

DATE: 07/28/09

CUSTOMER: STOCK EAST HARTFORD CT FFFD SERIAL NUMBER.....AP5986

ITEM	DB CODE	SPECIFICATIONS	WEIGHTS (*)		SUGGESTED RETAIL
			FRONT	REAR	
338	746-1AN	DELPHI AM/FM/WB/SIRIUS PREMIUM RADIO WIT H CD.....	10		659.00
339	747-001	DASH MOUNTED RADIO.....			N/C
340	750-041	STANDARD SPEAKER SYSTEM.....			N/C
341	748-006	POWER AND GROUND WIRING PROVISION.....			STD
342	749-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION WITH FACE PLATE.....			STD
343	752-037	DUAL SIDE MOUNT MULTI-BAND AM/FM/CB ANTE NNA SYSTEM.....			STD
344	78C-003	INTEROPERABLE SDAR ANTENNA.....			158.00
345	737-001	TELEVISION ANTENNA.....			STD
346	810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDAR Y KPH SCALE, WITHOUT ODOMETER.....			STD
347	817-001	STANDARD VEHICLE SPEED SENSOR.....			STD
348	812-001	ELECTRONIC 3000 RPM TACHOMETER.....			STD
349	813-998	NO MPH AND/OR RPM GRAPH.....			STD
350	162-002	IGNITION SWITCH CONTROLLED ENGINE STOP..			STD
351	329-998	NO EXTRA SWITCH IN DASH.....			STD
352	264-033	STEERING WHEEL MOUNTED ELECTRIC HORN CON TROL.....			STD
353	482-001	BW TRACTOR PROTECTION VALVE.....			STD
354	883-001	TRAILER HAND CONTROL BRAKE VALVE.....			STD
355	842-998	NO TURBO AIR PRESSURE GAUGE.....			STD
356	841-998	NO FUEL VACUUM GAUGE.....			STD
357	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DR IVER DISPLAY.....			STD
358	660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR W ITH DELAY.....			STD
359	304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HE ADLIGHTS SWITCH WITH PULL OUT FOR OPTION AL FOG/ROAD LAMPS.....			STD
360	882-004	TWO VALVE PARKING BRAKE SYSTEM WITH WARN ING INDICATOR.....			STD
361	299-028	MANUAL TURN SIGNAL SWITCH WITH DIMMER, H EADLAMP FLASH, WASH/WIPE/INTERMITTENT...			STD
362	298-046	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LA MP CAPACITY.....			STD
PAINT					
363	065-000	PAINT: ONE SOLID COLOR.....			STD
364	980-5K1	CAB COLOR A: L0328EB DK CONCORD BLUE MET ELITE BC.....			N/C

*** SPECIFICATION CONFIRMATION *** DATE: 07/28/09

CUSTOMER: STOCK EAST HARTFORD CT FFFD SERIAL NUMBER.....AP5986

ITEM	DB CODE	SPECIFICATIONS	WEIGHTS (*)		SUGGESTED RETAIL
			FRONT	REAR	
365	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT.....			STD
366	987-998	NO CHASSIS SIDE FAIRING PAINT.....			N/C
367	962-998	PAINT-FRT WHEEL COLOR: NONE.....			N/C
368	966-972	ACCURIDE PKWHT21 POWDER WHITE (N0006EA) REAR WHEELS/RIMS.....			184.00
369	964-998	NO BUMPER PAINT.....			STD
370	976-995	SUNVISOR PAINTED SAME AS CAB COLOR A....			N/C

ADDITIONAL SPECIFICATIONS

371	999-999	SPECIAL NARRATIVE INSTRUCTIONS.....			N/C
372		CALC'D VEHICLE SPEED @ GOVERNED ENG RPM			
373		= 59.385 MPH. MUST CHANGE REAR AXLE			
374		RATIO TO EXCEED 59 MPH.			
375	QUOTE	PRICE QUOTE NUMBER: FFFD 0907280936			
376	996-001	U.S. FMVSS CERTIFICATION.....			N/C

FRONT WEIGHT	9,605
REAR WEIGHT	7,667
TOTAL WEIGHT	17,272

RETAIL SUBTOTAL 167,613.00

P01-151	POS. POWER CIRCUIT SHUTOFF SWT INCAB MTD OUTBOARD OF DRIVERSEAT DISC. (293-045)	-276.00
P07-1AC	CASCADIA STOCKING PROGRAM \$5300 P07-1AC	-5,300.00
P08-1AA	CASCADIA STOCKING PROGRAM TRACKING CODE (P07-1AC)	-.01
PMY-205	INSTAQUOTE MY2010 PMY-205	-.01
TOTAL SUGGESTED RETAIL		162,036.98